

**BSD.**



# **BSD LORD INTERNATIONAL**

INTERNATIONAL MANUFACTURING AND MARKETING OF AUTOMOTIVE PARTS

**BSD.**

## **Table Of Contents**

1. Transport Refrigeration Systems	3 – 61
2. Air Condition Systems	62 – 71
3. Automotive Spare Parts	72 - 80



**BSD.**

## **TRANSPORT REFRIGERATION SYSTEMS**

**Compleat systems – wall, roof and under floor systems:**

**Design, development and production of transport refrigeration systems, our engineers and Technicians with extensive experience to produce high quality and strong systems.**

**TRS 1000 - VANS 4 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER POWER CONSUMPTION / OUTPUT	EVAPORATOR POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 1000	TRANSPORT REFRIGERATION SYSTEM.	VAN TO 4 TONS.	CHEVROLET, CITROEN,FIAT, FORD, MERCEDES-BENZ, NISSAN, OPEL, PEUGEOT, RENAULT, VOLKSWAGEN.	17	R 404-A	8A – 12V, 4A – 24V / 9.4 KW	8A – 12V, 4A – 24V / 7.8 KW	0 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 1100 - VANS 4 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 1100	TRANSPORT REFRIGERATION SYSTEM.	VAN TO 4 TONS.	CHEVROLET, CITROEN,FIAT, FORD, MERCEDES- BENZ, NISSAN, OPEL, PEUGEOT, RENAULT, VOLKSWAGEN.	17	R 404-A	8A – 12V, 4A – 24V / 4.7 KW	8A – 12V, 4A – 24V / 3.9 KW	-18 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 1200 - VANS 4 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 1200	TRANSPORT REFRIGERATION SYSTEM.	VAN TO 4 TONS.	CHEVROLET, CITROEN,FIAT, FORD, MERCEDES- BENZ, NISSAN, OPEL, PEUGEOT, RENAULT, VOLKSWAGEN.	17	R 404-A	8A – 12V, 4A – 24V / 9.4 KW	8A – 12V, 4A – 24V / 7.8 KW	0 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 1300 - VANS 4 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 1300	TRANSPORT REFRIGERATION SYSTEM.	VAN TO 4 TONS.	CHEVROLET, CITROEN,FIAT, FORD, MERCEDES- BENZ, NISSAN, OPEL, PEUGEOT, RENAULT, VOLKSWAGEN.	17	R 404-A	8A – 12V, 4A – 24V / 4.7 KW	8A – 12V, 4A – 24V / 3.9 KW	-18 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**





**BSD.**

**TRS 1400 - VANS 4 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 1400	TRANSPORT REFRIGERATION SYSTEM.	VAN TO 4 TONS.	CHEVROLET, CITROEN,FIAT, FORD, MERCEDES- BENZ, NISSAN, OPEL, PEUGEOT, RENAULT, VOLKSWAGEN.	17	R 404-A	8A – 12V, 4A – 24V / 9.4 KW	8A – 12V, 4A – 24V / 7.8 KW	+18 DEGREES, WITH HEATING SYSTEM.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 1500 - VANS 4 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 1500	TRANSPORT REFRIGERATION SYSTEM.	VAN TO 4 TONS.	CHEVROLET, CITROEN,FIAT, FORD, MERCEDES- BENZ, NISSAN, OPEL, PEUGEOT, RENAULT, VOLKSWAGEN.	17	R 404-A	8A – 12V, 4A – 24V / 9.4 KW	8A – 12V, 4A – 24V / 7.8 KW	0 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**





**BSD.**

**TRS 1600 - VANS 4 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 1600	TRANSPORT REFRIGERATION SYSTEM.	VAN TO 4 TONS.	CHEVROLET, CITROEN,FIAT, FORD, MERCEDES- BENZ, NISSAN, OPEL, PEUGEOT, RENAULT, VOLKSWAGEN.	17	R 404-A	8A – 12V, 4A – 24V / 4.7 KW	8A – 12V, 4A – 24V / 3.9 KW	-18 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 1700 - VANS 4 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 1700	TRANSPORT REFRIGERATION SYSTEM.	VAN TO 4 TONS.	CHEVROLET, CITROEN,FIAT, FORD, MERCEDES- BENZ, NISSAN, OPEL, PEUGEOT, RENAULT, VOLKSWAGEN	17	R 404-A	8A – 12V, 4A – 24V / 9.4 KW	8A – 12V, 4A – 24V / 7.8 KW	0 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 1800 - VANS 4 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 1800	TRANSPORT REFRIGERATION SYSTEM.	VAN TO 4 TONS.	CHEVROLET, CITROEN,FIAT, FORD, MERCEDES- BENZ, NISSAN, OPEL, PEUGEOT, RENAULT, VOLKSWAGEN.	17	R 404-A	8A – 12V, 4A – 24V / 4.7 KW	8A – 12V, 4A – 24V / 3.9 KW	-18 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 1900 - VANS 4 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 1900	TRANSPORT REFRIGERATION SYSTEM.	VAN TO 4 TONS.	CHEVROLET, CITROEN,FIAT, FORD, MERCEDES- BENZ, NISSAN, OPEL, PEUGEOT, RENAULT, VOLKSWAGEN.	17	R 404-A	8A – 12V, 4A – 24V / 9.4 KW	8A – 12V, 4A – 24V / 7.8 KW	0 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 2000 - VANS 4 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 2000	TRANSPORT REFRIGERATION SYSTEM.	VAN TO 4 TONS.	CHEVROLET, CITROEN,FIAT, FORD, MERCEDES- BENZ, NISSAN, OPEL, PEUGEOT, RENAULT, VOLKSWAGEN	17	R 404-A	8A – 12V, 4A – 24V / 4.7 KW	8A – 12V, 4A – 24V / 3.9 KW	-18 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 2100 - VANS 4 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 2100	TRANSPORT REFRIGERATION SYSTEM.	VAN TO 4 TONS.	CHEVROLET, CITROEN,FIAT, FORD, MERCEDES- BENZ, NISSAN, OPEL, PEUGEOT, RENAULT, VOLKSWAGEN.	17	R 404-A	8A – 12V, 4A – 24V / 9.4 KW	8A – 12V, 4A – 24V / 7.8 KW	+18 DEGREES, WITH HEATING SYSTEM.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**





**BSD.**

**TRS 2200 - VANS 4 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 2200	TRANSPORT REFRIGERATION SYSTEM.	VAN TO 4 TONS.	CHEVROLET, CITROEN,FIAT, FORD, MERCEDES- BENZ, NISSAN, OPEL, PEUGEOT, RENAULT, VOLKSWAGEN.	17	R 404-A	8A – 12V, 4A – 24V / 9.4 KW	8A – 12V, 4A – 24V / 7.8 KW	0 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 2300 - VANS 4 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 2300	TRANSPORT REFRIGERATION SYSTEM.	VAN TO 4 TONS.	CHEVROLET, CITROEN,FIAT, FORD, MERCEDES- BENZ, NISSAN, OPEL, PEUGEOT, RENAULT, VOLKSWAGEN.	17	R 404-A	8A – 12V, 4A – 24V / 4.7 KW	8A – 12V, 4A – 24V / 3.9 KW	-18 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 2400 - VANS 4 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER POWER CONSUMPTION / OUTPUT	EVAPORATOR POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 2400	TRANSPORT REFRIGERATION SYSTEM.	VAN TO 4 TONS.	CHEVROLET, CITROEN, FIAT, FORD, MERCEDES-BENZ, NISSAN, OPEL, PEUGEOT, RENAULT, VOLKSWAGEN.	17	R 404-A	8A – 12V, 4A – 24V / 9.4 KW	8A – 12V, 4A – 24V / 7.8 KW	0 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 2500 - VANS 4 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 2500	TRANSPORT REFRIGERATION SYSTEM.	VAN TO 4 TONS.	CHEVROLET, CITROEN,FIAT, FORD, MERCEDES- BENZ, NISSAN, OPEL, PEUGEOT, RENAULT, VOLKSWAGEN	17	R 404-A	8A – 12V, 4A – 24V / 4.7 KW	8A – 12V, 4A – 24V / 3.9 KW	-18 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 3000 - TRUCKS 3.5 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER POWER CONSUMPTION / OUTPUT	EVAPORATOR POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 3000	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 3.5 TONS.	ISUZU, MAZDA, MITSUBISHI, NISSAN, TOYOTA.	17	R 404-A	8A – 12V, 4A – 24V / 9.4 KW	8A – 12V, 4A – 24V / 7.8 KW	0 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**





**BSD.**

**TRS 3100 - TRUCKS 3.5 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 3100	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 3.5 TONS.	ISUZU,MAZDA, MITSUBISHI, NISSAN, TOYOTA.	17	R 404-A	8A – 12V, 4A – 24V / 4.7 KW	8A – 12V, 4A – 24V / 3.9 KW	-18 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**





**BSD.**

**TRS 3200 - TRUCKS 3.5 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER POWER CONSUMPTION / OUTPUT	EVAPORATOR POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 3200	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 3.5 TONS.	ISUZU, MAZDA, MITSUBISHI, NISSAN, TOYOTA.	17	R 404-A	8A – 12V, 4A – 24V / 9.4 KW	8A – 12V, 4A – 24V / 7.8 KW	0 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 3300 - TRUCKS 3.5 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER POWER CONSUMPTION / OUTPUT	EVAPORATOR POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 3300	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 3.5 TONS.	ISUZU, MAZDA, MITSUBISHI, NISSAN, TOYOTA.	17	R 404-A	8A – 12V, 4A – 24V / 4.7 KW	8A – 12V, 4A – 24V / 3.9 KW	-18 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 3400 - TRUCKS 3.5 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 3400	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 3.5 TONS.	ISUZU,MAZDA, MITSUBISHI, NISSAN, TOYOTA.	17	R 404-A	8A – 12V, 4A – 24V / 9.4 KW	8A – 12V, 4A – 24V / 7.8 KW	+18 DEGREES, WITH HEATING SYSTEM.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 3500 - TRUCKS 3.5 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 3500	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 3.5 TONS.	ISUZU,MAZDA, MITSUBISHI, NISSAN, TOYOTA.	17	R 404-A	8A – 12V, 4A – 24V / 9.4 KW	8A – 12V, 4A – 24V / 7.8 KW	0 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 3600 - TRUCKS 3.5 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 3600	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 3.5 TONS.	ISUZU,MAZDA, MITSUBISHI, NISSAN, TOYOTA.	17	R 404-A	8A – 12V, 4A – 24V / 4.7 KW	8A – 12V, 4A – 24V / 3.9 KW	-18 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 3700 - TRUCKS 3.5 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 3700	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 3.5 TONS.	ISUZU,MAZDA, MITSUBISHI, NISSAN, TOYOTA.	17	R 404-A	8A – 12V, 4A – 24V / 9.4 KW	8A – 12V, 4A – 24V / 7.8 KW	0 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**





**BSD.**

**TRS 3800 - TRUCKS 3.5 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 3800	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 3.5 TONS.	ISUZU,MAZDA, MITSUBISHI, NISSAN, TOYOTA.	17	R 404-A	8A – 12V, 4A – 24V / 4.7 KW	8A – 12V, 4A – 24V / 3.9 KW	-18 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 3900 - TRUCKS 3.5 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER POWER CONSUMPTION / OUTPUT	EVAPORATOR POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 3900	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 3.5 TONS.	ISUZU, MAZDA, MITSUBISHI, NISSAN, TOYOTA.	17	R 404-A	8A – 12V, 4A – 24V / 9.4 KW	8A – 12V, 4A – 24V / 7.8 KW	0 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 4000 - TRUCKS 3.5 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 4000	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 3.5 TONS.	ISUZU,MAZDA, MITSUBISHI, NISSAN, TOYOTA.	17	R 404-A	8A – 12V, 4A – 24V / 4.7 KW	8A – 12V, 4A – 24V / 3.9 KW	-18 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 4100 - TRUCKS 3.5 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 4100	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 3.5 TONS.	ISUZU,MAZDA, MITSUBISHI, NISSAN, TOYOTA.	17	R 404-A	8A – 12V, 4A – 24V / 9.4 KW	8A – 12V, 4A – 24V / 7.8 KW	0 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 4200 - TRUCKS 3.5 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 4200	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 3.5 TONS.	ISUZU,MAZDA, MITSUBISHI, NISSAN, TOYOTA.	17	R 404-A	8A – 12V, 4A – 24V / 4.7 KW	8A – 12V, 4A – 24V / 3.9 KW	-18 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**





**BSD.**

**TRS 4300 - TRUCKS 3.5 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 4300	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 3.5 TONS.	ISUZU,MAZDA, MITSUBISHI, NISSAN, TOYOTA.	17	R 404-A	8A – 12V, 4A – 24V / 9.4 KW	8A – 12V, 4A – 24V / 7.8 KW	+18 DEGREES, WITH HEATING SYSTEM.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**





**BSD.**

**TRS 4400 - TRUCKS 3.5 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 4400	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 3.5 TONS.	ISUZU,MAZDA, MITSUBISHI, NISSAN, TOYOTA.	17	R 404-A	8A – 12V, 4A – 24V / 9.4 KW	8A – 12V, 4A – 24V / 7.8 KW	0 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 4500 - TRUCKS 3.5 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 4500	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 3.5 TONS.	ISUZU,MAZDA, MITSUBISHI, NISSAN, TOYOTA.	17	R 404-A	8A – 12V, 4A – 24V / 4.7 KW	8A – 12V, 4A – 24V / 3.9 KW	-18 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 4600 - TRUCKS 3.5 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 4600	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 3.5 TONS.	ISUZU,MAZDA, MITSUBISHI, NISSAN, TOYOTA.	17	R 404-A	8A – 12V, 4A – 24V / 9.4 KW	8A – 12V, 4A – 24V / 7.8 KW	0 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 4700 - TRUCKS 3.5 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 4700	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 3.5 TONS.	ISUZU,MAZDA, MITSUBISHI, NISSAN, TOYOTA.	17	R 404-A	8A – 12V, 4A – 24V / 4.7 KW	8A – 12V, 4A – 24V / 3.9 KW	-18 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 4800 - TRUCKS 3.5 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 4800	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 3.5 TONS.	ISUZU,MAZDA, MITSUBISHI, NISSAN, TOYOTA.	17	R 404-A	8A – 12V, 4A – 24V / 9.4 KW	8A – 12V, 4A – 24V / 7.8 KW	0 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**





**BSD.**

**TRS 4900 - TRUCKS 3.5 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 4900	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 3.5 TONS.	ISUZU,MAZDA, MITSUBISHI, NISSAN, TOYOTA.	17	R 404-A	8A – 12V, 4A – 24V / 4.7 KW	8A – 12V, 4A – 24V / 3.9 KW	-18 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**





**BSD.**

**TRS 5000 - TRUCKS 3.5 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER POWER CONSUMPTION / OUTPUT	EVAPORATOR POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 5000	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 3.5 TONS.	ISUZU, MAZDA, MITSUBISHI, NISSAN, TOYOTA.	17	R 404-A	8A – 12V, 4A – 24V / 9.4 KW	8A – 12V, 4A – 24V / 7.8 KW	0 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 5100 - TRUCKS 3.5 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 5100	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 3.5 TONS.	ISUZU,MAZDA, MITSUBISHI, NISSAN, TOYOTA.	17	R 404-A	8A – 12V, 4A – 24V / 4.7 KW	8A – 12V, 4A – 24V / 3.9 KW	-18 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 5200 - TRUCKS 3.5 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 5200	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 3.5 TONS.	ISUZU,MAZDA, MITSUBISHI, NISSAN, TOYOTA.	17	R 404-A	8A – 12V, 4A – 24V / 9.4 KW	8A – 12V, 4A – 24V / 7.8 KW	+18 DEGREES, WITH HEATING SYSTEM.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 5300 - TRUCKS 3.5 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER POWER CONSUMPTION / OUTPUT	EVAPORATOR POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 5300	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 3.5 TONS.	ISUZU, MAZDA, MITSUBISHI, NISSAN, TOYOTA.	17	R 404-A	8A – 12V, 4A – 24V / 9.4 KW	8A – 12V, 4A – 24V / 7.8 KW	0 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 5400 - TRUCKS 3.5 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 5400	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 3.5 TONS.	ISUZU,MAZDA, MITSUBISHI, NISSAN, TOYOTA.	17	R 404-A	8A – 12V, 4A – 24V / 4.7 KW	8A – 12V, 4A – 24V / 3.9 KW	-18 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**





**BSD.**

**TRS 5500 - TRUCKS 3.5 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER POWER CONSUMPTION / OUTPUT	EVAPORATOR POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 5500	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 3.5 TONS.	ISUZU, MAZDA, MITSUBISHI, NISSAN, TOYOTA.	17	R 404-A	8A – 12V, 4A – 24V / 9.4 KW	8A – 12V, 4A – 24V / 7.8 KW	0 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**






**BSD.**

**TRS 5600 - TRUCKS 3.5 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 5600	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 3.5 TONS.	ISUZU,MAZDA, MITSUBISHI, NISSAN, TOYOTA.	17	R 404-A	8A – 12V, 4A – 24V / 4.7 KW	8A – 12V, 4A – 24V / 3.9 KW	-18 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 6000 - TRUCKS 5-7.5 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 6000	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 5-7.5 TONS.	DAF,HINO, ISUZU, IVECO,MAN, MERCEDES- BENZ, MITSUBISHI, RENAULT, VOLKSWAGEN.	22	R 404-A	8A – 12V, 4A – 24V / 18.4 KW	8A – 12V, 4A – 24V / 11.2 KW	0 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**




**BSD.**

**TRS 6100 - TRUCKS 5-7.5 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 6100	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 5-7.5 TONS.	DAF,HINO, ISUZU, IVECO,MAN, MERCEDES- BENZ, MITSUBISHI, RENAULT, VOLKSWAGEN.	22	R 404-A	8A – 12V, 4A – 24V / 9.2 KW	8A – 12V, 4A – 24V / 5.6 KW	-18 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 6200 - TRUCKS 5-7.5 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER POWER CONSUMPTION / OUTPUT	EVAPORATOR POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 6200	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 5-7.5 TONS.	DAF,HINO, ISUZU, IVECO,MAN, MERCEDES-BENZ, MITSUBISHI, RENAULT, VOLKSWAGEN.	22	R 404-A	8A – 12V, 4A – 24V / 18.4 KW	8A – 12V, 4A – 24V / 11.2 KW	0 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 6300 - TRUCKS 5-7.5 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 6300	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 5-7.5 TONS.	DAF,HINO, ISUZU, IVECO,MAN, MERCEDES- BENZ, MITSUBISHI, RENAULT, VOLKSWAGEN.	22	R 404-A	8A – 12V, 4A – 24V / 9.2 KW	8A – 12V, 4A – 24V / 5.6 KW	-18 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**





**BSD.**

**TRS 6400 - TRUCKS 5-7.5 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 6400	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 5-7.5 TONS.	DAF,HINO, ISUZU, IVECO,MAN, MERCEDES- BENZ, MITSUBISHI, RENAULT, VOLKSWAGEN.	22	R 404-A	8A – 12V, 4A – 24V / 18.4 KW	8A – 12V, 4A – 24V / 11.2 KW	0 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 6500 - TRUCKS 5-7.5 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 6500	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 5-7.5 TONS.	DAF,HINO, ISUZU, IVECO,MAN, MERCEDES- BENZ, MITSUBISHI, RENAULT, VOLKSWAGEN.	22	R 404-A	8A – 12V, 4A – 24V / 9.2 KW	8A – 12V, 4A – 24V / 5.6 KW	-18 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**




**BSD.**

**TRS 7000 - TRUCKS 8-10 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 7000	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 8-10 TONS.	DAF,HINO, ISUZU, IVECO,MAN, MERCEDES- BENZ, MITSUBISHI, NISSAN, RENAULT.	30	R 404-A	8A – 12V, 4A – 24V / 22.8 KW	8A – 12V, 4A – 24V / 12.8 KW	0 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 7100 - TRUCKS 8-10 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 7100	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 8-10 TONS.	DAF,HINO, ISUZU, IVECO,MAN, MERCEDES- BENZ, MITSUBISHI, NISSAN, RENAULT.	30	R 404-A	8A – 12V, 4A – 24V / 11.4 KW	8A – 12V, 4A – 24V / 6.4 KW	-18 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 7200 - TRUCKS 8-10 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 7200	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 8-10 TONS.	DAF,HINO, ISUZU, IVECO,MAN, MERCEDES- BENZ, MITSUBISHI, NISSAN, RENAULT.	30	R 404-A	8A – 12V, 4A – 24V / 22.8 KW	8A – 12V, 4A – 24V / 12.8 KW	0 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**





**BSD.**

**TRS 7300 - TRUCKS 8-10 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER POWER CONSUMPTION / OUTPUT	EVAPORATOR POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 7300	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 8-10 TONS.	DAF,HINO, ISUZU, IVECO,MAN, MERCEDES-BENZ, MITSUBISHI, NISSAN, RENAULT.	30	R 404-A	8A – 12V, 4A – 24V / 11.4 KW	8A – 12V, 4A – 24V / 6.4 KW	-18 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 7400 - TRUCKS 8-10 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 7400	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 8-10 TONS.	DAF,HINO, ISUZU, IVECO,MAN, MERCEDES- BENZ, MITSUBISHI, NISSAN, RENAULT.	30	R 404-A	8A – 12V, 4A – 24V / 22.8 KW	8A – 12V, 4A – 24V / 12.8 KW	0 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 7500 - TRUCKS 8-10 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER POWER CONSUMPTION / OUTPUT	EVAPORATOR POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 7500	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 8-10 TONS.	DAF,HINO, ISUZU, IVECO,MAN, MERCEDES-BENZ, MITSUBISHI, NISSAN, RENAULT.	30	R 404-A	8A – 12V, 4A – 24V / 11.4 KW	8A – 12V, 4A – 24V / 6.4 KW	-18 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 8000 - TRUCKS 12 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER POWER CONSUMPTION / OUTPUT	EVAPORATOR POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 8000	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 12 TONS.	DAF,HINO, ISUZU, IVECO,MAN, MERCEDES-BENZ, MITSUBISHI, NISSAN, RENAULT.	35	R 404-A	8A – 12V, 4A – 24V / 25 KW	8A – 12V, 4A – 24V / 12 KW	0 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 8100 - TRUCKS 12 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER POWER CONSUMPTION / OUTPUT	EVAPORATOR POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 8100	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 12 TONS.	DAF,HINO, ISUZU, IVECO,MAN, MERCEDES-BENZ, MITSUBISHI, NISSAN, RENAULT.	35	R 404-A	8A – 12V, 4A – 24V / 12.5 KW	8A – 12V, 4A – 24V / 6 KW	-18 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**





**BSD.**

**TRS 8200 - TRUCKS 12 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 8200	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 12 TONS.	DAF,HINO, ISUZU, IVECO,MAN, MERCEDES- BENZ, MITSUBISHI, NISSAN, RENAULT.	35	R 404-A	8A – 12V, 4A – 24V / 25 KW	8A – 12V, 4A – 24V / 12 KW	0 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

**TRS 8300 – TRUCKS 12 TONS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
TRS 8300	TRANSPORT REFRIGERATION SYSTEM.	TRUCK TO 12 TONS.	DAF,HINO, ISUZU, IVECO,MAN, MERCEDES- BENZ, MITSUBISHI, NISSAN, RENAULT.	35	R 404-A	8A – 12V, 4A – 24V / 12.5 KW	8A – 12V, 4A – 24V / 6 KW	-18 DEGREES.

**\*We can customize transport refrigeration systems to all the types of vehicle brands after reviewing the engine.**



**BSD.**

## **AIR CONDITION SYSTEMS**

**Compleat systems – wall, roof and under floor systems:**

**Design, development and production of transport refrigeration systems, our engineers and Technicians with extensive experience to produce high quality and strong systems.**

**ACS 1000 – HEAVY VEHICLES AND TRACTORS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER POWER CONSUMPTION / OUTPUT	EVAPORATOR POWER CONSUMPTION / OUTPUT	TEMPERATURE
ACS 1000	AIR CONDITION SYSTEM.	ALL TYPES	ALL TYPES	10	R 134-A	8A – 12V, 4A – 24V / 4.7 KW	8A – 12V, 4A – 24V / 3.9 KW	-16 DEGREES.



**BSD.**

**ACS 1100 – HEAVY VEHICLES AND TRACTORS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
ACS 1100	AIR CONDITION SYSTEM.	ALL TYPES	ALL TYPES	10	R 134-A	8A – 12V, 4A – 24V / 4.7 KW	8A – 12V, 4A – 24V / 3.9 KW	-16 DEGREES.



**BSD.**

**ACS 1200 – HEAVY VEHICLES AND TRACTORS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
ACS 1200	AIR CONDITION SYSTEM.	ALL TYPES	ALL TYPES	10	R 134-A	8A – 12V, 4A – 24V / 4.7 KW	8A – 12V, 4A – 24V / 3.9 KW	-16 DEGREES.





**BSD.**

**ACS 1300 – HEAVY VEHICLES AND TRACTORS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
ACS 1300	AIR CONDITION SYSTEM.	ALL TYPES	ALL TYPES	10	R 134-A	8A – 12V, 4A – 24V / 4.7 KW	8A – 12V, 4A – 24V / 3.9 KW	-16 DEGREES.



**BSD.**

**ACS 1400 – HEAVY VEHICLES AND TRACTORS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER POWER CONSUMPTION / OUTPUT	EVAPORATOR POWER CONSUMPTION / OUTPUT	TEMPERATURE
ACS 1400	AIR CONDITION SYSTEM.	ALL TYPES	ALL TYPES	10	R 134-A	8A – 12V, 4A – 24V / 4.7 KW	8A – 12V, 4A – 24V / 3.9 KW	-16 DEGREES.



**BSD.**

**ACS 1500 – HEAVY VEHICLES AND TRACTORS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
ACS 1500	AIR CONDITION SYSTEM.	ALL TYPES	ALL TYPES	10	R 134-A	8A – 12V, 4A – 24V / 4.7 KW	8A – 12V, 4A – 24V / 3.9 KW	-16 DEGREES.



**BSD.**

**ACS 1600 – HEAVY VEHICLES AND TRACTORS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER POWER CONSUMPTION / OUTPUT	EVAPORATOR POWER CONSUMPTION / OUTPUT	TEMPERATURE
ACS 1600	AIR CONDITION SYSTEM.	ALL TYPES	ALL TYPES	10	R 134-A	8A – 12V, 4A – 24V / 4.7 KW	8A – 12V, 4A – 24V / 3.9 KW	-16 DEGREES.



**BSD.**

**ACS 1700 – HEAVY VEHICLES AND TRACTORS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
ACS 1700	AIR CONDITION SYSTEM.	ALL TYPES	ALL TYPES	10	R 134-A	8A – 12V, 4A – 24V / 4.7 KW	8A – 12V, 4A – 24V / 3.9 KW	-16 DEGREES.





**BSD.**

**ACS 1800 – HEAVY VEHICLES AND TRACTORS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
ACS 1800	AIR CONDITION SYSTEM.	ALL TYPES	ALL TYPES	10	R 134-A	8A – 12V, 4A – 24V / 4.7 KW	8A – 12V, 4A – 24V / 3.9 KW	-16 DEGREES.



**BSD.**

**ACS 1900 – HEAVY VEHICLES AND TRACTORS:**

PRODUCT NUMBER	PRODUCT DESCRIPTION	VEHICLE WEIGHT	VEHICLE BRANDS	COBB CRATE SIZE	TYPE OF GAS	CONDENSER  POWER CONSUMPTION / OUTPUT	EVAPORATOR  POWER CONSUMPTION / OUTPUT	TEMPERATURE
ACS 1900	AIR CONDITION SYSTEM.	ALL TYPES	ALL TYPES	10	R 134-A	8A – 12V, 4A – 24V / 4.7 KW	8A – 12V, 4A – 24V / 3.9 KW	-16 DEGREES.



**BSD.**

## **AUTOMOTIVE SPARE PARTS**

### **Manufacturing Condensers Units :**

<b>Part Number</b>	<b>Voltage</b>	<b>Temp</b>	<b>Dimensions</b>
TRC 1000-0000	12V	0 degrees	109X35X17 cm
TRC 1000-0010	24V	-18 degrees	109X35X17 cm



<b>Part Number</b>	<b>Voltage</b>	<b>Temp</b>	<b>Dimensions</b>
TRC 1000-0050	12V	0 degrees	109X35X17 cm
TRC 1000-0060	24V	-18 degrees	109X35X17 cm



<b>Part Number</b>	<b>Voltage</b>	<b>Temp</b>	<b>Dimensions</b>
TRC 1000-0100	12V	0 degrees	123X92X16 cm
TRC 1000-0110	24V	-18 degrees	123X92X16 cm



**BSD.**

---

Part Number	Voltage	Temp	Dimensions
TRC 1000-0150	12V	0 degrees	109X55X13 cm
TRC 1000-0160	24V	-18 degrees	109X55X13 cm



---

Part Number	Voltage	Temp	Dimensions
TRC 1000-0200	12V	0 degrees	73X41X35 cm
TRC 1000-0210	24V	-18 degrees	73X41X35 cm



---

Part Number	Voltage	Temp	Dimensions
TRC 1000-0250	12V	0 degrees	91X44X27 cm
TRC 1000-0260	24V	-18 degrees	91X44X27 cm



**BSD.**

Part Number	Voltage	Temp	Dimensions
TRC 1000-0300	12V	0 degrees	108X43X39 cm
TRC 1000-0310	24V	-18 degrees	108X43X39 cm



Part Number	Voltage	Temp	Dimensions
TRC 1000-0350	12V	0 degrees	131X44X34 cm
TRC 1000-0360	24V	-18 degrees	131X44X34 cm





## BSD.

### Manufacturing Evaporators Units :

Part Number	Voltage	Temp	Dimensions
TRE 1000-0000	12V	0 degrees	68X56X27 cm
TRE 1000-0010	24V	-18 degrees	68X56X27 cm



Part Number	Voltage	Temp	Dimensions
TRE 1000-0050	12V	0 degrees	100X49X12 cm
TRE 1000-0060	24V	-18 degrees	100X49X12 cm



Part Number	Voltage	Temp	Dimensions
TRE 1000-0150	12V / 24V	+18 degrees	103X55X17 cm
TRE 1000-0160	12V	0 degrees	103X55X17 cm
TRE 1000-0170	24V	-18 degrees	103X55X17 cm



**BSD.**


---

Part Number	Voltage	Temp	Dimensions
TRE 1000-0200	12V	0 degrees	96X68X27 cm
TRE 1000-0210	24V	-18 degrees	96X68X27 cm



---

Part Number	Voltage	Temp	Dimensions
TRE 1000-0250	12V	0 degrees	135X68X27 cm
TRE 1000-0260	24V	-18 degrees	135X68X27 cm



---

Part Number	Voltage	Temp	Dimensions
TRE 1000-0300	12V	0 degrees	135X68X27 cm
TRE 1000-0310	24V	-18 degrees	135X68X27 cm



**BSD.**

**Manufacturing Condensers Units :**

Part Number	Voltage	Temp	Dimensions
ACC 1000-0000	12V / 24V	-16 degrees	84X32X20 cm




Part Number	Voltage	Temp	Dimensions
ACC 1000-0050	12V / 24V	-16 degrees	84X32X20 cm



**BSD.**

**Manufacturing Evaporators Units :**

Part Number	Voltage	Temp	Dimensions
ACE 1000-0000	12V / 24V	-16 degrees	48X25X27 cm
			
Part Number	Voltage	Temp	Dimensions
ACE 1000-0050	12V / 24V	-16 degrees	50X16X45 cm
			
Part Number	Voltage	Temp	Dimensions
ACE 1000-0100	12V / 24V	-16 degrees	50X44X14 cm
			

**BSD.**

Part Number	Voltage	Temp	Dimensions
ACE 1000-0150	12V / 24V	-16 degrees	77X47X14 cm



Part Number	Voltage	Temp	Dimensions
ACE 1000-0200	12V / 24V	-16 degrees	50X23X28 cm





**BSD.**

**\* Manufacturing and supplying of all automotive spare parts - full production of condensers and evaporators for all types of vehicles including cars, trucks, tractors, agricultural vehicles, buses and more.**

**\* An extensive inventory of spare parts for all types of vehicles,**

**\* For a quote, please send the o.e.m. number and a description of the parts to:**

**[customer.service@bsd-lord-international.com](mailto:customer.service@bsd-lord-international.com)**

